

Mental Health in the Emergency Department

For more information contact:
Dr Helen Barratt (h.barratt@ucl.ac.uk)

**Collaboration for Leadership in
Applied Health Research and Care
North Thames**

Background

How can we help EDs better prepare for the arrival of patients with acute mental health problems?

- Aim: To describe the population of patients who attend EDs in England, including patient sociodemographic characteristics
- HES A&E dataset: adult attendances at English EDs, Apr 2013- Mar 2014
- Mental health attendances – first diagnosis code:
 - HES: ‘psychiatric conditions’ or ‘poisoning (including overdose)’
 - ICD-10: Ch V (mental and behav disorders) or Ch X60-69 (intentional SH by poisoning)
- **>260,000** attendances had a MH diagnosis; **~6 million** had another Dx
- **4.2%** of all attendees with a recorded Dx had a mental health Dx

Sociodemographic characteristics

Age

- 18-24: 22.7% MH attendances vs 15.6% all attendances
- 25-49: 53.6% MH attendances vs 40.7% all attendances
- 50-74: 19.5% MH attendances vs 27.4% all attendances
- 75+: 4.2% MH attendances vs 16.4% all attendances

Ethnic group (major categories)

- White British: 73.2% MH attendances vs 72.1% all attendances
- Asian: 3.2% MH attendances vs 4.8% all attendances
- Black: 2.8% MH attendances vs 3.0% all attendances

Sociodemographic characteristics

Socioeconomic circumstances

- Clear socioeconomic gradient:
 - MH attendances: 36.5% from most deprived quintile – 8.4% from the least
 - All attendances: 28.5% from most deprived quintile– 14.1% from the least
- Missing IMD information
 - 4.4% of MH attendances vs 0.9% all attendances
 - 20.8% of attendees missing IMD info had a MH diagnosis

Sex

- Female: 48.2% MH attendances vs 50.7% all attendances

GP registration

- Registered: 94.3% MH attendances vs 96.7% all attendances

Attendance characteristics

Day of arrival

- Peak day(s) of attendance:
 - MH attendances: Saturday (15.5%) and Sunday (15.8%)
 - All attendances: Monday (16.1%)

Time of arrival

- 9am to 5pm: 32.0% MH attendances vs 50.2% all attendances
- 5pm to Midnight: 38.9% MH attendances vs 31.9% all attendances
- Midnight to 9am: 29.1% MH attendances vs 17.8% all attendances

Attendance characteristics

Mode of arrival

- Ambulance: 61.9% of MH attendances vs 32.9% of all attendances
- 7.6% of ambulance presentations are mental health-related
- 24.6% of police presentations are mental health-related

Destination on departure (major categories)

- Admit: 32.5% MH attendances vs 26.8% all attendances
- Transfer to other hospital: 4.0% MH attendances vs 1.1% all attendances
- Discharge – GP F/U: 20.0% MH attendances vs 18.1% all attendances
- Discharge – no F/U: 36.3% MH attendances vs 31.4% all attendances
- Left/ refused Rx: 5.7% MH attendances vs 1.1% all attendances

Summary

- First national study of mental health-related ED attendances
- Previous studies single site and of poor quality

Mental health attendances:

- 4.2% of all ED attendances
- Younger (<50), White British, from the most deprived areas

- 2/3 arrive out of hours (5pm-9am)
- Peak of attendances on a Saturday and Sunday
- Importance of the emergency services

- 1/3 will need admission
- 50% discharged home from the ED (+/- GP follow up)

Acknowledgements

- David McNulty and bioinformatics team – University Hospitals Birmingham, Quality and Outcomes Research Unit (QuORU)
- Andrew Hutchings – LSHTM
- Domenico Giacco – QMUL
- Rosalind Raine and Simona Baracaia - UCL

- This presentation demonstrates independent research and was funded by the National Institute for Health Research Collaboration for Leadership in Applied Health Research and Care (NIHR CLAHRC) North Thames at Bart's Health NHS Trust. The views expressed are those of the author(s) and not necessarily those of the NHS, the NIHR or the Department of Health and Social Care.